16 Raichur District.—
(a) Slight rainfall in Lingsugur and Deodurg taluks and nil in other taluks
(b)
(c) Fair
(d) ..
(e) Progress is fair in 3 taluks
(f) Sufficient
(g) Available
(h) Generally Healthy

17 Bidar District —
(a) No rainfall during the week
(b)
(c) Standing crops are fair.
(d) Nil
(e) Ryots are busily engaged in ploughing operations
(f) Sufficient
(g) Available.
(h) Generally Healthy.

18 South Kanara District—
(a) No rainfall during the week except in Buntwal taluk where there is light showers.
(b) Sowing of seedlings for the I Paddy Crop in Buntwal taluk is in progress
(c) Generally fair
(d) Harvesting of II Paddy crops has just commenced in Udipi and I Paddy crop is completed in Buntwal taluk
(e) Progress is fair in 4 taluks
(f) Sufficient
(g) Available
(h) Generally Healthy

19 Coorg District.—
(a) Slight rainfall in Somwarpet and Virajpet taluks
(b)
(c) .
(d)
(e)
(f) Sufficient.
(g) Available
(h) Generally Healthy

28 M GANGARUDRIAH, For *Director*.

OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

Consolidated Statement Showing the Monthly Weather and Crop Abstract for the Month of October 1962.

Rainfall				Naye Paise Estimates of Out-turn of Important Crops					
Scanty 0 per cent to 40 per cent of normal	Deficient 41 per cent to 80 per cent of normal	Normal 81 per cent to 120 per cent of normal.	Excessive 121 per cent and over of normal	Paddy	Ragi	Jowar	Bajra	Sugarcane	Other Crops
1	2	3	4	5	6	7	8	9	10
			1. Bangalore District.						
			Excessive	70 (Avg. of 4 Tks)	56 (Avg of 9 Tks)	..	..	62 (Avg of 2 Tks)	G. Nut 50 (Avg of 2 Tks)
			2. Kolar District.						
		Normal		50	50	..		62	Groundnut 62
			3. Tumkur District						
		.	Excessive						
			4. Mysore District.						
			Do	68	60	50	.	72	
			5 Mandya District						
.	..	..	Do	68	50	37		75	Horsegram 75
			6 Hassan District						
			Do	69	50	44		55	Potato 50
			7. Chickmagalur District						
			Do	44	44			56	.....
			8 Shimoga District.						
			Do	60	44	44		62	Areca 50
			9 Chitradurga District.						
		Normal		48 (Avg of 5 Tks)	55 (Avg of 7 Tks)	50 (Avg of 7 Tks)	47 (Avg of 4 Tks)		G Nut 33 (Avg of 3 Tks.
			10 Bellary District.						
...	Deficient	.		...	39 (Avg of 2 Tks)	39 (Avg of 2 Tks)	39 (Avg of 2 Tks)	...	
			11 Bijapur District.						
		Do				53	28	37	Cotton 37 Wheat 37, G Nut 37.
			12. Belgaum District.						
		Do		45 (Avg of 5 Tks)	37 (Avg of 3 Tks)	43 (Avg of 7 Tks)	43 (Avg of 6 Tks)	57 (Avg. of 6 Tks)	

1	2	3	4	5	6	7	8	9	10
			13. Dharwar District						
	-	Normal		43	37	37	37	42	G Nut 37, Cotton 37 Wheat 43, Chillie 37
			14 North Kanara District						
		Do	..	48	52	50		46	Cocoanut 50, Betelnu 47 Pepper 44
			15 Gulbarga District						
		Do		57	31	43	31	50	Tur 37
			16 Raichur District						
		---	Excessive	67	...	62	62	67	Groundnut 69, Cotton 50
			17 Bidar District						
		Normal		37	25	50	43	56	
			18. South Kanara District						
		Do	...	50			...	56 (Avg of 3 Tks)	Swest Potato 37
			19 Coorg District						
		Do		56					

200—20 40

M GANGARUDRAIAH, For *Director of Statistics*

Statement Showing of Monthly Weather and Crop Report for October 1962

Note —(a) Denotes Water Supply
(b) ,, Sowing/Transplantation
(c) ,, Standing Crops
(d) ,, Harvest
(e) ,, Fodder and Pasture
(f) ,, Cattle
(g) ,, Rainfall
(h) ,, Damage to crops
(i) ,, Remarks

1 Bangalore District —
(a) Sufficient
(b Transplantation of Paddy was completed in Channapatna Taluk
(c) Generally fair
(d) Harvesting of Ragi had commenced in Hosakote Taluk
(e) Available
(f) Generally healthy
(g) Excessive
(h) Nil
(i) Refers to 8 taluks

2 Kolar District —
(a) Sufficient.
(b) Nil
(c) Generally Fair
(d) Harvesting of Ragi in Kolar, Bagepalli, Gowribidanur Taluks and Groundnut in Kolar and Bangarpet Taluks was in progress.
(e) Available
(f) Gonerally healthy
(g) Normal
(h) Nil.

3 Tumkur District —
(a) Sufficient
(b) Nil
(c) Generally Fair
(d) Harvesting of Irrigated Ragi was in progress in Madhugiri Taluk
(e) Available
(f) Good except for the prevalence of "Black Quarter and Sheep Pox" and other Cattle diseases in some parts of Tumkur taluk
(g) Excessive
(h) Nil
(i) Refers to 7 taluks

4 Mysore District —
(a) Sufficient
(b) Nil
(c) Generally Fair
(d) Harvesting of K. Paddy in H D Kote taluk and Ragi in Periyapatna taluks was in progress.
(e) Available
(f) Good except for the prevalence o "Black Quarter" at 4 villages of Yellandur Taluk
(g) Excessive.
(h) Nil
(i) Refers to 7 taluks

5 Mandya District —
(a) Sufficient
(b) Planting of Sugarcane was in progress in Mandya Taluk
(c) Generally Fair
(d) Crushing of Sugarcane was in progress in all the taluks except in Nagamangala and Malavalli Taluks
(e) Available
(f) Generally Good
(g) Excessive
(h) Nil
(i)

6 Hassan District —
(a) Sufficient
(b)
(c) Generally Fair
(d) Harvesting of Ragi Jola and Cardamom was in progress throughout the District
(e) Available
(f) Generally Good
(g) Excessive
(h) Nil
(i) Refers to 6 Taluks

7 Chickmagalur District —
(a) Sufficient
(b)
(c) Generally Fair
(d) Harvesting of Areca was in progress in some Taluks
(e) Available
(f) Generally Good
(g) Excessive
(h) Nil
(i) Refers to 6 taluks

8 Shimoga District.—
(a) Sufficient
(b) Nil
(c) Standing crops as such Paddy, Ragi, Jower, Sugarcan Pulses were fair
(d) Harvesting of Ragi and G nut in all the taluks Areca in Thirthahalli, Hosanagar and Sagar Taluks, Paddy in all Taluks except in Thirthahalli and Hosanagar Taluks was in progress
(e) Available
(f) Generally Good
(g) Excessive
(h) Nil
(i)

9 Chitraldurga District —
(a) Sufficient
(b) Sowing of Jola, Bengalgram, Cotton, Wheat and other crops was in progress in most the Taluks
(c) Generally Fair
(d) Harvesting of G nut, Ragi, Sugarcane, Paldy and Jola, were in progress in most of the taluks
(e) Availabbe
(f) Good except for the prevalence of Cattle disease at one village of Holalkere taluk
(g) Normal
(h) Nil.
(i) .

10 Bellary District —
(a) Sufficient
(b) Sowing of Hingari crops had been completed
(c) Generally fair
(d) G nut in Hadagalli Taluk, rra in Sirugupps Taluk and Bajra Jower, Ragi, G nut in Sandur Taluk was being harvested
(e) Available except n some Villages of Bellary Taluk
(f) Genera ly Good
Deficient
(h) Nil
(i) Refers to 5 taluks.

11 Dharwar District —
Sufficient
(b) Sowing of Rabi Crop had baen completed in most of the taluks
(c) Gene ally Fair.
(d) Harvesting of G nut and Bajra was in progress throughout the District
Adequate
(f) Generally Good
(g) N rmal
(h) Nil
(i) Refer to 9 Taluks

12 Belgaum District —
(a) Suffic ent
(b) Sowing of Wheat in Parasgad Taluk was in progress
(c) Generally Fair
(d) Harvesting of G nut and Bajra commenced in Hukkeri Taluk
(e) Adequate
(f) Generally Good
(g) ormal
(h) Paddy crop was reported to be damaged owing to heavy rains in Khanapur Taluk
(i) Refers to 7 Taluks

Dharwar District —
(a) Sufficient except in Kundgol taluk where insufficiency was felt
(b) Sowing of Wheat and Rabi Jower was in progress throughout the District
(c) Generally Fair
(d) Harvesting of G nut and Paddy was in progress throughout the District
(e) Adequate
(f) Generally Good
(g) Normal
(h) Nil
(i) Refers to 13 taluks

North Kanara District —
Sufficient
(b) Completed
(c) Generally Fair
(d) Harvesting of Kharif Paddy was nearing completion in most of the Taluks
(e) Adequate
(f) Generally Good
(g) Normal
(h) Nil

15 Gulbarga District —
(a) Sufficient except in Afzalpur taluk
(b) Sowing of Rabi crops was nearing completion in all the Taluks except in Shahpur, Shorapur, Chincholi and Sedam Taluks where the same was in progress
(c) Generally Fair
(d) Harvesting of G nut, Sesamum, Bajra, and Moong was completed in Shahpur, Gulbarga, Afzalpur and Sedam Taluks.
(e) Adequate
(f) Generally Good
(g) Normal
(h) Nil
(i)

16 Raichur District —
(a) Sufficient
(b) Sowing of Rabi Crops had commenced in all the Taluks.
(c) Fair except in Gangavathi and Sindhanur Taluks where crops were affected due to heavy rains and "Hari Roga"
(d) Harvesting of Kharif Crops was in progress throughout the District
(e) Available
(f) Generally Good
(g) Excessive
(h) Nil

17 Bidar District —
(a) Sufficient
(b) Sowing of Rabi Jower in Bidar, Bhalki and Aurad Taluks was in progress and the same was completed in Humnabad Taluk
(c) Generally Fair
Harvesting of Kharif Jower and Bajra was completed in Bidar, Bhalki and Aurad Taluks and the same was in progress in Humnabad Taluk
(e) Available
(f) Generally Good
(g) Normal
(h) Nil

18 South Kanara District —
(a) Sufficient
(b) Sowing and Transplantation of II paddy was in progress
(c) Generally Fair
(d) Harvesting of I paddy crop was nearing completion in all the Taluks
(e) Available
(f) Generally Good
(g) Normal
(h) Nil

19 Coorg District —
(a) Sufficient
(b) Nil
(c) Generally Fair
(d) Picking up of Cardamum was in progress throughout the District
(e) Available
(f) Generally Good.
(g) Normal
(h) Nil

M. GANGARUDRAIAH,
200(a) —sc 40 For *Director of Statistics*

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDED SATURDAY 4TH MAY 1963.

The State remained free from Plague during the week as against 5 attacks with nil deaths in the previous week. Comparative figures for the corresponding week during 1961 and 1962 were nil attacks and nil deaths and 7 attacks with 1 death respectively

A total of 130 attacks with 18 deaths from Small-pox was reported for the entire State namely from the Taluks of Mandya, Maddur, Malavalli, Pandavapura, Nagamangala, K R. Pet, Sagar, Bhadravathy, Kudligi, Bellary, Harpanahally as against 111 attacks with 31 deaths reported during the corresponding week of the previous year

A total of 38 attacks with 13 deaths from Cholera was reported for the entire State namely from the Taluks of Shorapur, and Shahapur (Gulbarga District), during the week *as against* 44 attacks with 9 deaths reported during the corresponding week of the last year

A total of 9 attacks with 1 death from K. F Disease was reported from Shimoga District, *as against* 2 attacks with Nil deaths reported during the corresponding week of the previous year

The State remained free from Yellow Fever, Relapsing fever, Infectious Hepatites and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore City Corporation amounted to 180 (56 in hospitals) for the week *as against* 181 (61 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10 0 (3 1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 10 2 (6 7 excluding hospital deaths) for the corresponding week for the last year Classified according to causes of deaths, were, 11 due to other fevers, 26 due to Dysentery and Diarrhœa, 12 due to consumption and 80 due to all other causes *as against* 2 due to smallpox, 22 due to Dysentery and Diarrhœa,